



# WOODWIND ENSEMBLE

— SYMPHONY SERIES —



MANUAL



The information in this document is subject to change without notice and does not represent a commitment on the part of Native Instruments GmbH. The software described by this document is subject to a License Agreement and may not be copied to other media. No part of this publication may be copied, reproduced or otherwise transmitted or recorded, for any purpose, without prior written permission by Native Instruments GmbH, hereinafter referred to as Native Instruments.

“Native Instruments”, “NI” and associated logos are (registered) trademarks of Native Instruments GmbH.

"Soundiron" is a registered Trademark of Soundiron LLC.

Mac, Mac OS, GarageBand, Logic, iTunes and iPod are registered trademarks of Apple Inc., registered in the U.S. and other countries.

Windows, Windows Vista and DirectSound are registered trademarks of Microsoft Corporation in the United States and/or other countries.

All other trademarks are the property of their respective owners and use of them does not imply any affiliation with or endorsement by them.

Document authored by: Adam Hanley

Software version: 1.0 (06/2016)

Special thanks to the Beta Test Team, who were invaluable not just in tracking down bugs, but in making this a better product.

---

**NATIVE INSTRUMENTS GmbH**

Schlesische Str. 29-30  
D-10997 Berlin  
Germany  
[www.native-instruments.de](http://www.native-instruments.de)

**NATIVE INSTRUMENTS North America, Inc.**

6725 Sunset Boulevard  
5th Floor  
Los Angeles, CA 90028  
USA  
[www.native-instruments.com](http://www.native-instruments.com)

**NATIVE INSTRUMENTS K.K.**

YO Building 3F  
Jingumae 6-7-15, Shibuya-ku,  
Tokyo 150-0001  
Japan  
[www.native-instruments.co.jp](http://www.native-instruments.co.jp)

**NATIVE INSTRUMENTS UK Limited**

18 Phipp Street  
London EC2A 4NU  
UK  
[www.native-instruments.com](http://www.native-instruments.com)



© NATIVE INSTRUMENTS GmbH, 2016. All rights reserved.

---

---

# Table of Contents

<b>1</b>	<b>Welcome to the SYMPHONY SERIES .....</b>	<b>8</b>
1.1	Manual Conventions .....	8
1.2	About this Document .....	9
1.3	About the SYMPHONY SERIES of Products .....	9
<b>2</b>	<b>Choosing the Right KONTAKT Instrument .....</b>	<b>10</b>
2.1	Section Master Instrument .....	12
2.2	Individual Articulation Instrument .....	13
2.3	Ensemble Instrument .....	14
<b>3</b>	<b>Playing SYMPHONY SERIES Instruments .....</b>	<b>15</b>
3.1	Selecting Articulations with Key Switches .....	15
3.2	Refining a Recording in Your Host Software .....	16
3.3	About Using MIDI Controllers .....	17
3.4	Performance Controls .....	18
3.4.1	Dynamics .....	19
3.4.2	Attack .....	19
3.4.3	Release .....	19
3.4.4	Tightness .....	19
3.4.5	Motion .....	20
3.5	Additional Controls .....	20
3.5.1	Repetition .....	21
3.5.2	Legato .....	21
3.5.3	Progress Indicator .....	22
3.5.4	Round Robin .....	22
3.5.5	Playback .....	23
3.5.6	Arpeggio .....	24

---

<b>4</b>	<b>Configuring WOODWIND ENSEMBLE .....</b>	<b>26</b>
4.1	The Articulation Slot Setup View .....	26
4.1.1	Overview of the Articulation Slot Setup (Key Switch) .....	27
4.1.2	Overview of the Articulation Slot Setup (MIDI CC) .....	30
4.2	Editing Articulations Manually .....	32
4.2.1	Removing Specific Articulation Assignments .....	35
4.2.2	Removing all Articulations .....	36
4.2.3	Assigning Key Switches to Articulations .....	37
4.2.4	Assigning Velocity Ranges to Key Switches .....	40
4.2.5	Assigning MIDI CCs to Articulations .....	42
4.2.6	Configuring a Native Instruments Controller to Send MIDI CC .....	44
4.2.7	Sending MIDI CC from Your Host Software .....	47
4.3	Using Macros for Automatic Assignments (Key Switches) .....	48
4.3.1	Empty all Slots .....	48
4.3.2	Reset All Start Conditions .....	50
4.3.3	Set Ascending Keys From First Slot .....	51
4.3.4	Distribute Velocity Range Equally on Active Slots .....	53
4.4	Using Macros for Automatic Assignments (MIDI CCs) .....	55
4.4.1	Empty All Slots .....	55
4.4.2	Reset All Start Conditions .....	57
4.4.3	Distribute Controller Equally on Active Slots .....	58
4.5	Ensemble View .....	60
4.5.1	Overview of the Ensemble View .....	60
4.5.2	Activating/Deactivating Sections .....	62
<b>5</b>	<b>KONTAKT Snapshots .....</b>	<b>63</b>
5.1	Saving a User Snapshot .....	63

---

---

5.2	Loading a Snapshot from the Snapshot Menu .....	66
5.3	Loading Snapshots from the File System .....	67
5.4	Deleting a User Snapshot .....	67
<b>6</b>	<b>Audio Mix-down .....</b>	<b>69</b>
6.1	The Microphone Mixer View .....	69
6.2	Refining the Master Mix .....	71
6.2.1	Applying EQ .....	71
6.2.2	Applying Reverb .....	73
6.2.3	Applying Comp & Filter .....	75
6.3	Close, Mid and Far Microphone Positions .....	77
6.4	Balancing Section Volumes .....	77
6.5	Balancing Articulation Volumes .....	79
6.6	Transferring Mixer Settings Between Different Instruments .....	80
<b>7</b>	<b>Performance Optimization .....</b>	<b>82</b>
7.1	General Advice .....	82
7.2	Project Economy .....	83
7.3	Instrument Economy .....	83
<b>8</b>	<b>Technical Specs .....</b>	<b>85</b>
8.1	Recorded Tonal Range .....	85
8.2	Microphone Positions .....	85
<b>9</b>	<b>Credits .....</b>	<b>86</b>
<b>10</b>	<b>Glossary .....</b>	<b>88</b>
10.1	Sustains .....	88
10.2	Legatos .....	88
10.3	Staccatos .....	88
10.4	Expressions .....	88

---

---

10.5	Effects .....	89
10.6	Arpeggios .....	89

# 1 Welcome to the SYMPHONY SERIES

Thank you for purchasing SYMPHONY SERIES WOODWIND ENSEMBLE. This document will give you information about the library, as well as step-by-step instructions and advice on how to achieve the best results with it.

We hope that you will enjoy using the SYMPHONY SERIES products.

## 1.1 Manual Conventions

This document uses particular formatting to point out special facts and to warn you of potential issues. The icons introducing the following notes let you see what kind of information can be expected:



The speech bubble icon indicates a useful tip that may often help you to solve a task more efficiently.



The exclamation mark icon highlights important information that is essential for the given context.



The red cross icon warns you of serious issues and potential risks that require your full attention.

Furthermore, the following formatting is used:

- Text appearing in (drop-down) menus (such as *Open...*, *Save as...* etc.) in the software and paths to locations on your hard disk or other storage devices is printed in *italics*.
- Text appearing elsewhere (labels of buttons, controls, text next to checkboxes etc.) in the software is printed in **blue**. Whenever you see this formatting applied, you will find the same text appearing somewhere on the screen.
- Important names and concepts are printed in **bold**.



- References to keys on your computer's keyboard you'll find put in square brackets (e.g., "Press [Shift] + [Enter]").
- ▶ Single instructions are introduced by this play button type arrow.
- Results of actions are introduced by this smaller arrow.

## Naming Convention

Throughout this document, we will refer to SYMPHONY SERIES WOODWIND ENSEMBLE as just WOODWIND ENSEMBLE.

## 1.2 About this Document

This document was written in a way that allows you to access information out of order. While the topics are structured to guide you through the features and usage of WOODWIND ENSEMBLE topic by topic, you can skip ahead at any time.

Jump right in the midst of the document to a topic you're interested in. You shouldn't have to look up related information to be able to follow any of the workflow tutorials. All relevant information is given as part of each description.

## 1.3 About the SYMPHONY SERIES of Products

SYMPHONY SERIES WOODWIND ENSEMBLE is part of the SYMPHONY SERIES of KONTAKT Instruments. This series supplies composers with a comprehensive tool set for creating highly realistic orchestral productions with an expansive sound full of character.

WOODWIND ENSEMBLE allows you to use a production-ready **STEREO** mix or create your own mix from **CLOSE**, **MID** and **FAR** microphone positions. On the dedicated Mixer page, a parametric **EQ**, convolution **REVERB**, **COMPRESSION** and **FILTER** effects let you adjust the sound to suit any project you're working on.

Articulations from a comprehensive palette can be switched in real time from freely assignable **Key Switches** or **MIDI CCs**. Five performance controls are pre-assigned to MASCHINE controllers and the KOMLETE KONTROL S series of keyboards.

## 2 Choosing the Right KONTAKT Instrument


WOODWIND ENSEMBLE ships with a total of 43 KONTAKT Instruments (.nki files). To help you select the right one for your specific task, here is an overview of the included Instruments.

### Six Instrument Sections

Musicians from six instrument sections were recorded:

- Bass Winds (a blend of contrabassoons and bass clarinets)
- Bassoons
- Clarinets
- Flutes
- Oboes
- Saxophones

For each Section's Instruments, there's a sub folder in KONTAKT's Library Browser.



Instrument Sections in the Library Browser

## Seven Instruments per Section

In each of the six Sections, you'll find seven KONTAKT Instruments named after the category of Articulations contained within. The Flutes Section, for example, contains the following Instruments:


- Flutes Arpeggio.nki
- Flutes Effects.nki
- Flutes Expression.nki
- Flutes Legato.nki
- Flutes Staccato.nki
- Flutes Sustain.nki
- Flutes.nki (The Section Master Instrument)



Flute Articulations in the Flutes Folder

## The Ensemble Instrument

In addition to the six Instruments per orchestral section, a single **Woodwind Ensemble.nki** Instrument is included which combines all Woodwind Sections in one.



The Ensemble Instrument in the Browser

Now, with such an extensive selection at hand, what is the intended usage of each and which specific KONTAKT Instrument do you choose in a given situation?

## 2.1 Section Master Instrument

For each orchestral section, WOODWIND ENSEMBLE offers one KONTAKT Instrument which lets you switch in real time between the Articulations most commonly used in contemporary composition. This Instrument is the quickest and most flexible choice, which you may want to include in your default template for compositional work.

The Master Instruments can be found in each instrument section's sub folder and are named after the instrument section:

- [Bass Winds.nki](#)
- [Bassoons.nki](#)
- [Clarinets.nki](#)
- [Flutes.nki](#)
- [Oboes.nki](#)
- [Saxophones.nki](#)

The Section Master Instruments are optimized for **low memory and CPU consumption**. In order to achieve this level of efficiency, a few compromises had to be made:

- No time stretching is available.
- Legato emulation is less advanced than the dedicated Legato instrument.
- No Effects Articulations are included.
- Arpeggios are sequenced rather than recorded.

To put this into perspective, these are the Articulations which actually are included in the Master Instrument:

- Sustains (including legato emulation)
- Staccatos
- Expressions

## 2.2 Individual Articulation Instrument

For each orchestral section, WOODWIND ENSEMBLE offers six KONTAKT Instruments that offer an extensive selection of Articulations and let you achieve the highest degree of realism. Use these whenever saving computer resources isn't a concern.

The **Individual Articulation Instruments** offer all the Articulations of the Master Instrument plus Instruments for [Effects](#) and [Legato](#) (including note transition samples for true legato). The Individual Instruments are named accordingly:

- [Flutes Arpeggio.nki](#)
- [Flutes Effects.nki](#)
- [Flutes Expression.nki](#)
- [Flutes Legato.nki](#)
- [Flutes Staccato.nki](#)
- [Flutes Sustain.nki](#)

## 2.3 Ensemble Instrument

The **Ensemble Instrument** allows you to play **all woodwind sections in one Instrument**, although with a limited choice of Articulations.

It distributes voices between the different sections for rapid sketching of musical ideas for the entire woodwind ensemble. It represents the quickest way of distributing chords across Sections, playing Ensemble swells or massive orchestral stabs.

Inside the Ensemble Instrument, you can adjust volume and panorama per Section.

## 3 Playing SYMPHONY SERIES Instruments

### 3.1 Selecting Articulations with Key Switches

When loading one of the KONTAKT Instruments, up to 8 Articulations are assigned to the keys from C-1 to G-1. These key-switches are displayed as either red, green, cyan or purple keys in KONTAKT's on-screen keyboard and in the small Articulation Indicators beneath the [Articulation](#) label.



Key Switch colors on the on-screen keyboard and the Articulation Indicators



If WOODWIND ENSEMBLE is configured to select Articulations by Key Switches, the corresponding keys in KONTAKT's on-screen keyboard are colored according to the respective Articulation category:

Red: Sustain

Green: Staccato

Blue: Expression

Purple: Effects and Arpeggios

[↑4, Configuring WOODWIND ENSEMBLE](#) contains information regarding the setup of articulations.



On KOMPLETE KONTROL S keyboards, the Light Guide LEDs visualize the Key Switches by lighting up in the same color.

To select an Articulation by Key Switch:

1. Load the [Flutes.nki](#) KONTAKT Instrument.
2. Press the C-1 MIDI note on your MIDI keyboard to select the [Sustain All](#) Articulation assigned to C-1.
3. Play this Articulation using the dark blue range of keys.
4. Press the D-1 key on your MIDI keyboard to select the [Staccato](#) Articulation.
5. Play this Articulation using the dark blue range of keys.



KONTAKT's on-screen keyboard with Key Switches



None of these Articulations are just static musical building blocks. Make a habit of using the Modulation Wheel (MIDI CC 1) to modulate the [Dynamics](#) control to record expressive parts.

In the context of a busy arrangement, these results may already be good enough. In passages which feature the woodwind more prominently, the discerning listener may still be able to identify details which give away the fact that you didn't record a live orchestral performance.

The solution is to refine the recorded performance in your host software with the provided Performance Controls. For more information on the performance controls, read [↑3.4, Performance Controls](#).

## 3.2 Refining a Recording in Your Host Software

The key to a realistic performance is a combination of three basic methods:

### Switching Between Articulations

Articulations are one of the key ingredients of musical expression. Switching Articulations in WOODWIND ENSEMBLE is **the equivalent to writing articulation marks** in music notation. When composing with WOODWIND ENSEMBLE, lay out carefully which Articulations you will need.



## Playing Like a Woodwind Player

Watch both the note starts and endings. Depending on the pitch and instrument section, it takes real-life woodwind instruments varying amounts of time to build up a steady tone (i.e. [Attack](#)) and to fade out (i.e. [Release](#)). These differences were recorded and are part of the Instruments.

Unlike playing a piano library, to achieve accurate timing, you will have to move some notes ahead of the precise beat by varying amounts, just as real woodwind players compensate by playing slightly ahead.

## Using the Performance Controls

Real time modulation of Performance Controls allows for more realistic performances. Recording automation with the **Mod Wheel** allows you to access the entire dynamic range of the orchestra.



The Mod Wheel (MIDI CC 1) is by default assigned to the Dynamics control and you should always play expressively with the tonal variations the Mod Wheel affords you.

You can achieve even more realistic results by automating slight variations to the [Attack](#), [Release](#), [Tightness](#) and [Motion](#) controls, even if the differences appear subtle at first.

## 3.3 About Using MIDI Controllers

It is highly recommended that you work with a MIDI controller, which lets you perform automation of the Performance Controls in real time. This way, you will **hear the changes immediately**, instead of just drawing automation curves in your host software.

If you load WOODWIND ENSEMBLE inside KOMplete KONTROL or MASCHINE 2, the Performance Controls are automatically mapped to the controller's first four knobs. The Dynamics control defaults to the Mod Strip on your KOMplete KONTROL S keyboard, or to the Modulation Wheel (MIDI CC 1) if used with a generic controller.

All other parameters are available via your host software's automation system. When selecting the KONTAKT plug-in as the automation target, the Performance Controls are the first four automation parameters.



In order to control the Performance Controls with a generic MIDI control device, please use the mechanism provided by your host to MIDI-control automation parameters.

Cubase: Quick Controls

Logic X: Automation Quick Access

Ableton Live: MIDI Remote

Pro Tools: MIDI CC Automation

## 3.4 Performance Controls

When you load WOODWIND ENSEMBLE, the Performance Controls are the most prominent feature of the Instrument's user interface. These controls are used to refine a performance to achieve very realistic results. Thanks to their unified layout, once you understand what they do in one product from the series, you'll be immediately familiar with all of them.



The main Performance Controls

### 3.4.1 Dynamics

The **Dynamics** control is assigned to the Mod Wheel (MIDI CC 1) by default. It allows you to control the loudness and intensity of the Instrument in real-time. That way, you can play swells in any of the Sustain Articulations or easily automate intensity changes to e.g. transition from leading to supporting passages.

### 3.4.2 Attack

The **Attack** control allows you to increase the fade-in time per note to simulate realistic variations throughout a passage. By setting the **Attack** time to higher values, you can cause the notes to fade in more slowly, giving the notes a more solemn and gentle character.

### 3.4.3 Release

The **Release** control applies an additional envelope to the fade-out phase of the notes.

Reducing the Release setting to 0% shortens the naturally recorded reverb tails to a minimum, producing a very "dry" sounding result, which can sometimes make the result sound artificial. However, this can be very useful when adding internal or external reverb effects, as this allows the additional reverb to avoid conflicting with the natural sampled ambience.

### 3.4.4 Tightness

The **Tightness** control determines the starting point for the playback of a sample. This feature is extremely useful when used in combination with the Attack control to allow you to cut into the initial transient for an articulation to allow more precise note attacks.



When increasing the Tightness value to shift playback farther into the sample, it is recommended you increase the Attack value as well to refine the shape of the note attack.

This control is also useful in the context of playing phrases where the cross-fading of a loud note to the attack of a following quieter note can cause audible artifacts. This should hardly ever occur and if it does, **Tightness** is just one option to improve. Usually, adjusting these notes' velocities will be sufficient.

Should the occasion arise and you hear any such artifacts, try increasing **Tightness** starting from its default of 0%. By cutting off the natural attack phase, Tightness simulates the playing behavior of an instrument which is already resonating when playing the next note.

### 3.4.5 Motion

The **Motion** control allows you to add movement to the sound, which modulates both pitch and intensity of the note.

## 3.5 Additional Controls

Below the Performance Controls, you'll find the **Articulation** selector plus two additional sets of controls. Depending on the selected Articulation, different combinations of these controls are available. This is an overview of all controls you will encounter.



Additional Controls

**(1) Articulation Selector:** This control is visible in every Instrument.

- ▶ Click the [Articulation](#) label to open the [ARTICULATION SLOTS](#) list.
- ▶ Click the Articulation name to assign a different Articulation from the drop-down menu.
- ▶ Click any of the eight Articulation Indicator dots to select a different Articulation.

(2),(3) **Additional Controls:** Depending on which WOODWIND ENSEMBLE Instrument you open and which Articulation type you select, these two fields show different controls, or no controls at all.

### 3.5.1 Repetition

Click the small button to the left of the label to activate or de-activate [Repetition](#). A thin ring shows it's inactive, a solid dot means it's active.



Repetition Controls

When [Repetition](#) is activated, every note you play is automatically repeated a number of times before the note plays out to the end.

**Attack:** Set the number of repetitions here. Click the button and select one of the numbers from the drop-down menu.

**Speed:** Set the speed of repetitions here. Click the button and select a note division value from the drop-down menu.

### 3.5.2 Legato

Click the small button to the left of the label to activate or de-activate [Legato](#). A thin ring shows it's inactive, a solid dot means it's active.



Legato Control Panel

**Response:** This slider controls the speed of the Legato transition.

- ▶ Click and drag the slider to the left for a longer transition time or to the right for a short transition.

**Solo/Duet:** Click this button to switch between [Solo](#) and [Duet](#) voice handling.

- ▶ Select [Solo](#): Only one note is played at a time.
- ▶ Select [Duet](#): This allows two-part polyphonic legato melodies to be played. While sequential notes are played less than 6 semitones apart, they will be joined together by legato transitions. If notes are played sequentially with 6 or more semitones between them, they will play as two completely independent parallel legato melodies.

### 3.5.3 Progress Indicator

The [Progress](#) indicator is only visible for the Expression category of Articulations. The curve from left to right visualizes how the intensity, volume or pitch evolves over time in the selected Articulation, while a pointer indicates the playback position.



Progress Display

### 3.5.4 Round Robin

[Round Robin](#) helps avoid a typical issue associated with repeated playback of a sample. If you play a [Staccato](#) pattern using the same sample for each note, the result will sound static and artificial.

With **Round Robin** activated, there are between 2 and 8 alternative samples available for each note. Playing the first note will trigger sample 1, the second note triggers sample 2 and so on until every sample position has been played, then it starts from the beginning.

The **Round Robin** indicator visualizes the selection of the alternative samples, the dot indicating the sample being played back.




Round Robin Display and Control

**Vel. Sense:** Click this button to enable velocity sensitivity.

- ▶ Activate this button and the velocity of the MIDI note will also affect the dynamic of the played note. This works in tandem with the **Dynamics** control, so you can use both together.
- ▶ Deactivate this button and only the **Dynamics** control will affect the dynamic of the note.

### 3.5.5 Playback

The Playback parameter is available for Articulations which have a rhythmical aspect like a half tone up movement or a trill.



Playback Controls

**Natural:** Click to select this option to play back the Articulation at the originally recorded speed. No time stretching is applied.

**Sync:** Click to select this option to sync the Articulation with your project's tempo. Time stretching is applied.

**Varispeed:** Click to select this option if you want free control over the playback speed of an Articulation. This is the only mode affected by the **Speed** slider. Time stretching is applied.


**Speed:** Click and drag left for slow playback of the Articulation, drag right for fast playback.



The Sync and Varispeed controls activate time stretching, which results in increased CPU load and RAM consumption. Only activate if time stretching is required

### 3.5.6 Arpeggio

The Arpeggio section allows you to create fast runs that can be played with a single key, or it can also be used to break played chords into rhythmic patterns. A thin ring shows it's inactive, a solid dot means it's active.



Arpeggio Controls

**Type:** Click to select the chord type to be used in the arpeggio.

- ▶ Select a chord to have that chord automatically applied to a single note. For example, if you select *Maj* and play a C, the arpeggiator will automatically play as if you were holding a C major triad.
- ▶ Select *Trill* and the arpeggiator will automatically generate a trill (alternating between one note and another) based on a specified interval.
- ▶ Select *Key* to play in your own chords, which will then be transformed into an arpeggio by the instrument.
- ▶ Select *Rep* and the arpeggiator will repeat played notes by a number selected by the **Count** control.

**Mode:** Click to select the order in which the notes will be played (note that this control is not available when the **Type** is set to *Rep*)



**Accent:** This control is only available when the **Type** is set to *Rep* and replaces the **Mode** control. Click to select which notes in the repetition should be accented (played at a higher dynamic level).

**Count:** Click to select how many notes will be played before the arpeggio ends (note that this control is not available when the **Type** is set to *Trill*).

- Select *Run* to have the arpeggio play back for as long as the MIDI note is held.

**Interval:** This control is only available when the **Type** is set to *Trill* and replaces the **Count** control. Click to select the interval for the trilled notes. For example, if you set this to *Maj2* and play a C, the arpeggiator will alternate between a C and a D for as long as the note is held.

**Speed:** Click to select the rate at which notes in the arpeggio are played.

## 4 Configuring WOODWIND ENSEMBLE


Each Instrument in WOODWIND ENSEMBLE represents a default selection of Articulations assigned to Key Switches. You can configure your own collection of Articulations by means of the [Articulation Slot Setup](#) view as described in this chapter.

Once configured, you can save your work as a KONTAKT Snapshot for instant recall.

### 4.1 The Articulation Slot Setup View

To assign up to eight Articulations to either [Key](#) Switches or value ranges of a [MIDI CC](#), WOODWIND ENSEMBLE provides the [Articulation Slot Setup](#) view. This is how you access it:

1. Load [Woodwind Ensemble.nki](#).
2. While in the default Performance view, click the [Articulation](#) label in the bottom left corner. This will open the [ARTICULATION SLOTS](#) list.



Opening the ARTICULATION SLOTS List

- Click the [Edit](#) button to open the full [Articulation Slot Setup](#). This view will completely cover the Performance Controls.


→ You can now freely configure Articulation assignments.



Articulation Slot Setup View

### 4.1.1 Overview of the Articulation Slot Setup (Key Switch)

Depending on whether you assign [Key](#) switches or [MIDI CC](#), the [Articulation Slot Setup](#) view offers slightly different sets of controls. This is an overview of the [Key](#) Switch setup.



Articulation Slot Setup view (MIDI Key)

(1) **Key/MIDI CC selector:** The eight Articulation Slots can be selected either by **Key** (MIDI note) or by **MIDI CC** events. Click the respective text label to change this setting for the entire Instrument. The active option is highlighted.

(2) **Articulation Slot Macros:** Click the three dots to open the macro menu. Depending on whether **Key** or **MIDI CC** is selected, you'll have access to different convenience features (e.g. assigning ascending key switches to the Articulation Slots automatically).

(3) **Edit Button:** Click this button to show/hide the full **Articulation Slot Setup** view.

With **Edit** inactive, you have limited access to the Articulation Slots, while still being able to move the Performance Controls with the mouse.

With [Edit](#) activated, you get full access to [Key/MIDI CC](#) assignments and a visual representation of selectable Articulations.

**(4) Articulation List:** This list holds eight Articulation Slots. Each Slot represents a [Key/MIDI CC](#) value, the assigned Articulation, as well as a volume control per Articulation. [Key/MIDI CC](#) is set globally for all Articulation Slots in an Instrument.

**(5) Key Assignment selector:** Set the MIDI [Key](#) which will select this Articulation. Click and drag up/down to set the [Key](#).

**(6) MIDI Learn button:** This offers an alternative to manually setting the MIDI [Key](#). Click this button, then press a key on your MIDI keyboard to complete the assignment.

**(7) Velocity Range selector:** Multiple Articulations can be assigned to the same MIDI [Key](#). The selection is then dependent on how much force you apply when playing that key (Velocity).

- ▶ Click and drag the value in the left field to set the lowest Velocity (0-127) which will select this Articulation.
- ▶ Click and drag the right hand field to set the highest Velocity (0-127) which will select this Articulation.

**(8) Clear Slot button:** Click this button to remove the Articulation assignment from the selected slot. The samples of unassigned Articulations are automatically purged from RAM. The [Key/MIDI CC](#) setup is preserved when clicking the Clear Slot button.

**(9) Articulation Cell:** Each of these cells represents an Articulation. Click any of them to assign that Articulation to the selected Articulation slot.



If WOODWIND ENSEMBLE is configured to select Articulations by Key Switches, the corresponding keys in KONTAKT's on-screen keyboard are colored according to the respective Articulation category:

Red: Sustain

Green: Staccato

Blue: Expression

Purple: Effects and Arpeggios

[↑4, Configuring WOODWIND ENSEMBLE](#) contains information regarding the setup of articulations.

### 4.1.2 Overview of the Articulation Slot Setup (MIDI CC)

Depending on whether you assign [Key](#) switches or [MIDI CCs](#), the [Articulation Slot Setup](#) view offers slightly different controls. This is an overview of the [MIDI CC](#) setup.



Articulation Slot Setup view (MIDI CC)

(1) **Key/MIDI CC selector:** The eight Articulation Slots can be selected either by [Key](#) (MIDI note) or by [MIDI CC](#) events. Click the respective text label to change this setting for the entire Instrument. The active option is highlighted.

(2) **Articulation Slot Macros:** Click the three dots to open the macro menu. Depending on whether [Key](#) or [MIDI CC](#) is selected, you'll have access to different convenience features (e.g. assigning ascending key switches to the Articulation Slots automatically).

(3) **Edit Button:** Click this button to show/hide the full [Articulation Slot Setup](#) view.

With **Edit** inactive, you have limited access to the Articulation Slots, while still being able to move the Performance Controls with the mouse.

With **Edit** activated, you get full access to **Key/MIDI CC** assignments and a visual representation of selectable Articulations.

**(4) Articulation List:** This list holds eight Articulation Slots. Each Slot represents a **Key/MIDI CC** value, the assigned Articulation, as well as a volume control per Articulation. **Key/MIDI CC** is set globally for all Articulation Slots in an Instrument.

**(5) MIDI CC Assignment selector:** Click and drag up/down to set the **MIDI CC** number.

**(6) MIDI Learn button:** This offers an alternative to manually setting the **MIDI CC** number. Click this button, then move a knob, fader or button on your MIDI keyboard to send a MIDI Control message and to complete the assignment.

**(7) Controller Range selectors:** Multiple Articulations can be assigned to the same **MIDI CC**. The selection is then dependent on the **MIDI CC** value your controller sends.

- ▶ Click and drag the value in the left field to set the lowest CC value (0-127) which will select this Articulation.
- ▶ Click and drag the right hand field to set the highest CC value (0-127) which will select this Articulation.

**(8) Clear Slot button:** Click this button to remove the Articulation assignment from the selected slot. The samples of unassigned Articulations are automatically purged from RAM. The **Key/MIDI CC** setup is preserved when clicking the Clear Slot button.

**(9) Articulation Cell:** Each of these cells represents an Articulation. Click any of them to assign that Articulation to the selected Articulation slot.



If WOODWIND ENSEMBLE is configured to select Articulations by Key Switches, the corresponding keys in KONTAKT's on-screen keyboard are colored according to the respective Articulation category:

Red: Sustain

Green: Staccato

Blue: Expression

Purple: Effects and Arpeggios

[↑4, Configuring WOODWIND ENSEMBLE](#) contains information regarding the setup of articulations.


## 4.2 Editing Articulations Manually

There are different ways for you to re-assign different Articulations to pre-defined Articulation Slots.

### Directly in the Performance View

This is the fastest option if you want to assign a different Articulation to the currently selected Articulation Slot. It also allows you to stay in the distraction-free performance view.

1. Load [Woodwind Ensemble.nki](#).
2. While in the performance view, click the leftmost Articulation Indicator in the bottom left corner. The [Sustain All](#) Articulation is selected.



Selecting Articulation Slot 1

3. Click the Articulation name. A list of available Articulations will open.





Selecting an Articulation from the drop-down list

4. Select the **Sforzando Fast** Articulation by clicking in the list.

→ The Articulation is assigned to C-1.

### In the Articulation Slots List

Using the **ARTICULATION SLOTS** list gives you an overview of all Articulation assignments while still letting you access the Performance controls with the mouse.

1. Load **Woodwind Ensemble.nki**.
2. While in the performance view, click on **Articulation** in the bottom left corner. The **ARTICULATION SLOTS** list will open.



Opening the ARTICULATION SLOTS List

3. Select the first Articulation Slot by clicking on it in that list.
  4. Click on **Sustain All**, the default assignment in the first Articulation Slot. A list of available Articulations will open.
  5. Select **Crescendo** by clicking in the list.
- The **Crescendo** Articulation is assigned to the first slot.

### In the Articulation Slot Setup View

The full Articulation Slot Setup view allows you to switch between MIDI **Key** and MIDI **CC** assignment for the entire KONTAKT instrument. Depending on this selection, you can freely configure advanced parameters.

1. Load **Woodwind Ensemble.nki**.
2. While in the default performance view, click on **Articulation** in the bottom left corner. The **ARTICULATION SLOTS** list will open.
3. In that list, click the **Edit** button. The **Articulation Slot Setup** view will open, covering the Performance Controls.
4. Here, click the **Decrescendo** tile to select the respective Articulation.

→ The [Decrescendo](#) Articulation is now assigned.



If WOODWIND ENSEMBLE is configured to select Articulations by Key Switches, the corresponding keys in KONTAKT's on-screen keyboard are colored according to the respective Articulation category:

Red: Sustain

Green: Staccato

Blue: Expression

Purple: Effects and Arpeggios

[↑4, Configuring WOODWIND ENSEMBLE](#) contains information regarding the setup of articulations.

### 4.2.1 Removing Specific Articulation Assignments

To clear single Articulation assignments, use the [ARTICULATION SLOTS](#) list.

1. Load [Woodwind Ensemble.nki](#).
2. While in the performance view, click on [Articulation](#) in the bottom left corner. The [ARTICULATION SLOTS](#) list will open.



Opening the ARTICULATION SLOTS List

3. In the list, click on the Articulation name. A list of available Articulations will open.
  4. Select **None**, the last entry in that list.
- The assignment is removed.

## 4.2.2 Removing all Articulations


To clear all Articulation assignments, use the Articulation Macro.

1. Load **Woodwind Ensemble.nki**.
2. While in the default performance view, click on **Articulation** in the bottom left corner. The **ARTICULATION SLOTS** list will open.



Opening the ARTICULATION SLOTS List

3. In the top right corner of this list, click the three vertical dots. A list of available macros will open.



Opening the Articulation Macro List

4. Click on *Empty all slots*.  
→ All assignments are deleted.

### 4.2.3 Assigning Key Switches to Articulations


Within a KONTAKT Instrument, you can assign either **Key** switches (MIDI key) or **MIDI CCs** (buttons) to select an Articulation. You cannot mix **Key** and **MIDI CC** assignments within one Instrument. This is how you assign a **Key** switch.

1. Load [Woodwind Ensemble.nki](#).
2. While in the default performance view, click on [Articulation](#) in the bottom left corner. The **ARTICULATION SLOTS** list will open




Opening the ARTICULATION SLOTS List

3. Click the [Edit](#) button in the top right corner of this list. This will open the [Articulation Slot Setup](#) view.
4. Make sure [Key](#) is selected.



Key Switches Selected

5. Select the first Articulation slot by clicking in the left hand list.
6. Select the [Decrescendo](#) Articulation by clicking the corresponding cell in the [Articulation Slot Setup](#) view.
7. Underneath the Articulations, click on the field labeled [Key](#) and drag up/down to set the MIDI Key to G-1.




Setting the MIDI Key

→ The Articulation is now assigned to G-1 on your MIDI keyboard and can be selected by pressing that key.

### Assigning the Key via MIDI Learning

As an alternative to setting the MIDI [Key](#) by clicking and dragging the value in the [Key](#) field, you can MIDI-learn the MIDI key.

1. Click the MIDI connector button.



Activating MIDI Learn

2. Press the A-1 key on your MIDI keyboard.

→ The selected Articulation is now assigned to A-1 on your MIDI keyboard and can be switched on by pressing that key.



If WOODWIND ENSEMBLE is configured to select Articulations by Key Switches, the corresponding keys in KONTAKT's on-screen keyboard are colored according to the respective Articulation category:

Red: Sustain

Green: Staccato

Blue: Expression

Purple: Effects and Arpeggios

↑4, [Configuring WOODWIND ENSEMBLE](#) contains information regarding the setup of articulations.

#### 4.2.4 Assigning Velocity Ranges to Key Switches

By default, key switch assignments are not sensitive to velocity. You can play the MIDI note on your keyboard softly or with force, as both will activate the same assigned Articulation.

If you need to switch between different Articulations with just one MIDI key, setting up velocity ranges allows you to do just that.

##### Setting Up the First Articulation


1. Load [Woodwind Ensemble.nki](#).
2. While in the default performance view, click on [Articulation](#) in the bottom left corner. The [ARTICULATION SLOTS](#) list will open.





Opening the ARTICULATION SLOTS List

3. Click the [Edit](#) button in the top right corner of this list. This will open the [Articulation Slot Setup](#) view.
4. Make sure [Key](#) is selected.



Key Switches Selected

5. Select the first Articulation slot by clicking in the left hand list.
6. Select the [Crescendo](#) Articulation by clicking the corresponding cell in the [Articulation Slot Setup](#) view.
7. Set the [Velocity Range](#) values to 0 in the left field and 90 in the right hand field.

## Setting Up the Second Articulation

1. Select the second Articulation slot by clicking in the left hand [ARTICULATION SLOTS](#) list.

2. Select the [Sustain All](#) Articulation by clicking the corresponding cell in the [Articulation Slot Setup](#) view.
  3. Underneath the Articulations, click on the field labeled [Key](#) and drag up/down to set the MIDI key to C-1.
  4. Likewise, set the [Velocity Range](#) values to 90 in the left field and 127 in the right hand field.
- You have now configured the C-1 key on your keyboard to switch to the [Crescendo](#) Articulation when pressed lightly and to the [Sustain](#) Articulation when pressed with more force.

#### 4.2.5 Assigning MIDI CCs to Articulations

Within a KONTAKT Instrument, you can assign either [Key](#) Switches (MIDI key) or [MIDI CCs](#) (MIDI button) to select an Articulation. You cannot mix [Key](#) and [MIDI CC](#) assignments within one Instrument.


Switching by [MIDI CC](#) is different from using [Key](#), because here, you have to set up value ranges, whereas setting up velocity ranges for [key](#) is optional. The reason is that each instance of a WOODWIND ENSEMBLE Instrument will only receive one [MIDI CC](#) number. So switching Articulations requires you to set up value ranges.

1. Load [Woodwind Ensemble.nki](#).
2. While in the default performance view, click on [Articulation](#) in the bottom left corner. The [ARTICULATION SLOTS](#) list will open.




Opening the ARTICULATION SLOTS List

- Click the [Edit](#) button in the top right corner of this list. This will open the [Articulation Slot Setup](#) view.
- Make sure [MIDI CC](#) is selected.



MIDI CC Selected

- Right next to the [MIDI CC](#) switch, click on the field and drag up/down to set the [MIDI CC](#) to [16](#). By default, the available value range of 0-127 is evenly distributed across the eight Articulation slots. Unless your specific setup requires you to change it, it is recommended you keep this default.




Setting MIDI CC Number

6. Select the first Articulation slot by clicking in the left hand list.
  7. Select the [Staccato](#) Articulation by clicking the corresponding cell in the [Articulation Slot Setup](#) view on the right.
- The selected Articulation is now assigned to **CC 16** on your MIDI controller.

### Assigning MIDI CC via MIDI Learning

As an alternative to setting the [MIDI CC](#) by clicking and dragging the value in the [MIDI CC](#) field, you can MIDI-learn it.

1. Click the MIDI Learn button next to the MIDI CC label.



Clicking the MIDI Learn Button

2. Press a button assigned to MIDI CC 16 on your MIDI controller.
- The selected Articulation is now assigned to CC 16 on your MIDI controller.


By default, the Articulation in the first Articulation slot can be switched on by sending a CC value between 0 and 15 from your host software or a MIDI controller.

### 4.2.6 Configuring a Native Instruments Controller to Send MIDI CC

If you own any Native Instruments hardware controller, please use **Controller Editor** to configure the buttons/pads on your controller to send appropriate MIDI CC values as described in the Controller Editor Manual.


## Loading an Instrument and Setting it to Receive MIDI CC

1. Load [Woodwind Ensemble.nki](#).
2. While in the default performance view, click on [Articulation](#) in the bottom left corner. The [ARTICULATION SLOTS](#) list will open.



Opening the ARTICULATION SLOTS List

3. Click the [Edit](#) button in the top right corner of this list. This will open the [Articulation Slot Setup](#) view.
4. Make sure [MIDI CC](#) is selected.



MIDI CC Selected

The Articulation Slots are set up to switch when MIDI CC values are received.


### Configuring a Native Instruments Controller to Send MIDI CC Values

In order to select either of the first two Articulation Slots, the controller has to send values within the value ranges assigned to the Articulation Slots. Slot 1 is assigned values from 0 to 16, Slot 2 is assigned values from 17 to 31.

Please set up the following values in **Controller Editor**:

	Hardware Button 1	Hardware Button 2
Type	Control Change	Control Change
Channel	1 <sup>1</sup>	1 <sup>1</sup>
Number	16	16
Mode	Trigger	Trigger
Value	10	26
Action On	Down	Down

<sup>1</sup> Channel 1 is the default for the first Instrument you load in KONTAKT. If you intend to open multiple Instruments within one KONTAKT instance, set the channel which WOODWIND ENSEMBLE is receiving MIDI events from.



Selecting MIDI Channel

### 4.2.7 Sending MIDI CC from Your Host Software



Every modern music production software allows you to automate not just track volume and panorama, but also the full spectrum of MIDI messages and plug-in automation parameters. For a more detailed description, please refer to your host's documentation.

Whether you draw MIDI CC automation or record MIDI CC events from a hardware MIDI controller, in order to switch Articulations by **MIDI CC**, you need to set up WOODWIND ENSEMBLE to receive **MIDI CC** messages:

#### Loading an Instrument and Setting it to Receive MIDI CC


1. Load [Woodwind Ensemble.nki](#).
2. While in the default performance view, click on [Articulation](#) in the bottom left corner. The **ARTICULATION SLOTS** list will open.



Opening the ARTICULATION SLOTS List

3. Click the [Edit](#) button in the top right corner of this list. This will open the [Articulation Slot Setup](#) view.

4. Make sure **MIDI CC** is selected.



MIDI CC Selected

### Switching Articulations by MIDI CC From Your Host

In order to switch between the first two Articulation slots, write value automation for MIDI CC in your host for a track sending MIDI data to WOODWIND ENSEMBLE.

**Slot 1** is assigned values from **0 to 16**, **Slot 2** is assigned values from **17 to 31**.



For better visibility of Articulation switches in your host, write discrete MIDI CC values (e.g. 10 for Slot 1, 26 for Slot 2) instead of continuous curves.

## 4.3 Using Macros for Automatic Assignments (Key Switches)

Due to its flexibility, it can take a lot of repetitive steps to set up a basic starting point for your custom configuration. This is why WOODWIND ENSEMBLE features macro scripts which help you with certain tasks.

Depending on whether you assign **Key** or **MIDI CC**, there are different macros available.

### 4.3.1 Empty all Slots

If the configuration you're about to set up is just too different from the default setup after loading an Instrument, use **Empty all slots** to start with a clean slate.


1. Load **Woodwind Ensemble.nki**.
2. While in the default performance view, click on **Articulation** in the bottom left corner. The **ARTICULATION SLOTS** list will open.






Opening the ARTICULATION SLOTS List

3. Click the **Edit** button.
4. Make sure **Key** is selected.



Key Switches Selected

5. In the top right corner of the **ARTICULATION SLOTS** list, click the three vertical dots. A list of available macros will open.



Opening the Articulation Macro List

6. Click on *Empty all slots*.
- All assignments are deleted.

### 4.3.2 Reset All Start Conditions


If you need to return the Instrument to its default state:

1. Load [Woodwind Ensemble.nki](#).
2. While in the default performance view, click on [Articulation](#) in the bottom left corner. The **ARTICULATION SLOTS** list will open.




Opening the ARTICULATION SLOTS List

3. Click the [Edit](#) button.
4. Make sure [Key](#) is selected.



Key Switches Selected

5. In the top right corner of the **ARTICULATION SLOTS** list, click the three vertical dots. A list of available macros will open.



Opening the Articulation Macro List

6. Click on *Reset all start conditions*.  
→ The Instrument's default state is loaded.

### 4.3.3 Set Ascending Keys From First Slot


By default, MIDI **Key** assignments start from **C-1**, ascending in semi tones. If, for example, you'd like to move all assignments up an octave to start from **C0** instead:

1. Load **Woodwind Ensemble.nki**.
2. While in the default performance view, click on **Articulation** in the bottom left corner. The **ARTICULATION SLOTS** list will open.




Opening the ARTICULATION SLOTS List

3. In this list, select the first Articulation slot by clicking on it.
4. Click the [Edit](#) button. The full [Articulation Slot Setup](#) view will open.
5. Make sure [Key](#) is selected.




Key Switches Selected

6. Set the [Key](#) to [C0](#) by clicking in the field next to it and dragging the mouse up.



Setting the MIDI Key

7. In the top right corner of the **ARTICULATION SLOTS** list, click the three vertical dots. A list of available macros will open.



Opening the Articulation Macro List

8. Click on *Set ascending keys from first slot*.  
→ All slots are assigned to the keys starting from C0.

#### 4.3.4 Distribute Velocity Range Equally on Active Slots


Assigning up to eight Articulations to velocity ranges of one **Key** is especially useful if you write automation in your host software and are running out of free Midi keys. This macro allows you to automatically assign equal shares of the 0 - 127 value range.

1. Load **Woodwind Ensemble.nki**.
2. While in the default performance view, click on **Articulation** in the bottom left corner. The **ARTICULATION SLOTS** list will open.




Opening the ARTICULATION SLOTS List

3. In this list, select the first Articulation slot by clicking on it.
4. Click the [Edit](#) button. The full [Articulation Slot Setup](#) view will open.
5. Make sure [Key](#) is selected.




Key Switches Selected

6. Set the [Key](#) to C0 by clicking in the field next to it and dragging the mouse up.



Setting the MIDI Key

7. In the top right corner of the **ARTICULATION SLOTS** list, click the three vertical dots. A list of available macros will open.



Opening the Articulation Macro List

8. Click on *Distribute velocity range equally on active slots*.  
 → All active slots (slots with Articulation assignments) are assigned the same CO key switch. Each slot is assigned an equal fraction of the velocity range between 0 and 127.

## 4.4 Using Macros for Automatic Assignments (MIDI CCs)

Due to its flexibility, it can take a lot of repetitive steps to set up a basic starting point for your custom configuration. This is why WOODWIND ENSEMBLE features macro scripts which help you with certain tasks.

Depending on whether you assign **Key** or **MIDI CC**, there are different macros available.

### 4.4.1 Empty All Slots


If the configuration you're about to set up is just too different from the default setup after loading an Instrument, use **Empty all slots** to start with a clean slate.

1. Load **Woodwind Ensemble.nki**.
2. While in the default performance view, click on **Articulation** in the bottom left corner. The **ARTICULATION SLOTS** list will open.




Opening the ARTICULATION SLOTS List

3. Click the **Edit** button.
4. Make sure **MIDI CC** is selected.



MIDI CC Selected

5. In the top right corner of the **ARTICULATION SLOTS** list, click the three vertical dots. A list of available macros will open.



Opening the Articulation Macro List (MIDI CC)



6. Click on *Empty all slots*.
- All assignments are deleted.

#### 4.4.2 Reset All Start Conditions


If you need to return the Instrument to its default state:

1. Load [Woodwind Ensemble.nki](#).
2. While in the default performance view, click on [Articulation](#) in the bottom left corner. The **ARTICULATION SLOTS** list will open.




Opening the ARTICULATION SLOTS List

3. Click the [Edit](#) button.
4. Make sure [MIDI CC](#) is selected.



MIDI CC Selected

5. In the top right corner of the **ARTICULATION SLOTS** list, click the three vertical dots. A list of available macros will open.



Opening the Articulation Macro List (MIDI CC)

6. Click on *Reset all start conditions*.  
→ The Instrument's default state is loaded.

### 4.4.3 Distribute Controller Equally on Active Slots


Assigning **MIDI CCs** to buttons or pads is a good way of avoiding conflicts in more complex MIDI controller setups.

1. Load **Woodwind Ensemble.nki**.
2. While in the default performance view, click on **Articulation** in the bottom left corner. The **ARTICULATION SLOTS** list will open.




Opening the ARTICULATION SLOTS List

3. In this list, select the first Articulation slot by clicking on it.
4. Click the [Edit](#) button. The full [Articulation Slot Setup](#) view will open.
5. Make sure [MIDI CC](#) is selected.



MIDI CC Selected

6. In the top right corner of the [ARTICULATION SLOTS](#) list, click the three vertical dots. A list of available macros will open.



Opening the Articulation Macro List (MIDI CC)

7. Click on *Distribute controller equally on active slots*.

→ The MIDI CC value range from 0-127 is divided by the number of active slots and distributed evenly.



If you load any of the KONTAKT Instruments included in WOODWIND ENSEMBLE and set it to receive MIDI CC, you'll find that the controller values are already assigned this way. This macro helps you quickly set up a new configuration if you assign less than the full eight Articulation Slots or after you cleared all assignments to start from scratch.

## 4.5 Ensemble View


ENSEMBLE WOODWIND includes one KONTAKT Instrument which allows you to play all woodwind sections at once, although with a limited choice of Articulations.

When loading [Woodwind Ensemble.nki](#), the tonal range of the keyboard is split into zones, or key ranges. In order to make all woodwind sections playable at once, each is limited to the tonal range which they are most often used for in composition.

### 4.5.1 Overview of the Ensemble View



The **Ensemble** view allows you to configure different aspects of the WoodwindEnsemble.nki. It is only available in this single KONTAKT Instrument.



Ensemble view

(1) **Section on/off switch:** Click the indicator to activate or deactivate an entire section. A thin ring shows it's inactive, a solid dot means it's active.

(2) **Section Panorama Slider:** Click and drag this slider to the left or right to set the respective section's balance in the stereo panorama.

(3) **Section Volume Fader:** Click and drag the fader to set the respective section's level.


(4) **Section Key Range:** A readout of the tonal range of the respective section.

(5) **Key Range Display:** Each woodwind section's tonal range is visualized by a horizontal bar across the keyboard display.

## 4.5.2 Activating/Deactivating Sections


In some of your work, you might not need all sections in the Ensemble instrument. It is recommended you deactivate these sections, because whenever you unload an instrument section, the assigned samples are **automatically purged from RAM**.

1. Load [Woodwind Ensemble.nki](#).
2. While in the default performance view, click on [Ensemble](#) at the bottom of the screen. The [Section Setup](#) view will open.



Opening the Section Setup View

3. To deactivate the [CLARINETS](#) section, click the dot to the left of the [CLARINETS](#) label. A thin ring shows it's inactive, a solid dot means it's active.



De-activating the Clarinets Section

→ The [CLARINETS](#) section is deactivated and the samples are unloaded from RAM.

## 5 KONTAKT Snapshots

Snapshots, introduced as part of the **KONTAKT 5.4.1** update, offer a way of saving variations of any KONTAKT Instrument for easy recall.


WOODWIND ENSEMBLE, for example, allows you to create your own mix from **CLOSE**, **MID** and **FAR** microphone positions and apply effects like **EQ**, **REVERB**, **COMP** and **FILTER**.

With KONTAKT Snapshots, you can create any number of different mixes for the same Instrument, save them in the new **.nksn** file format and re-use them in your next project or share these Snapshots across your computers. You can even share them with other users who own the same KONTAKT Library.



WOODWIND ENSEMBLE doesn't come with Snapshots, so in order to demonstrate the full feature set, we'll save a Snapshot first.

- ▶ Access the Snapshot View by clicking the camera icon in the Instrument Header
- ▶ Switch back to the familiar Info View with its **Input / Output** configuration options by clicking the **i** icon.



Accessing the Snapshot View

### 5.1 Saving a User Snapshot

Let's start exploring Snapshots with saving your own. By loading one of the supplied Instruments and adjusting some of its parameters, you will end up with a sound which is distinct enough for you to want to keep it.


## Setting Up a Unique Mix

1. In the **Libraries** Tab, load the **Woodwind Ensemble.nki** Instrument. Play a few notes on your MIDI keyboard to get familiar with the ensemble's sound.
2. In the **Mixer** Tab, activate the **CLOSE**, **MID** and **FAR** microphone positions by clicking the respective labels. De-activate the **STEREO** mix afterwards.



De-activating the STEREO mix

3. Click and drag the **CLOSE** and **MID** volume faders up and the **FAR** volume fader down to set up a mix with little of the recorded ambience.
4. Activate the reverb by clicking the small dot to the left of the **REVERB** label.




Activating the reverb effect

## Saving the Mix

Now let's save this new sound as a Snapshot for convenience.


1. Click the camera icon in the Instrument Header. This will switch the Header to the Snapshot View.



Accessing the Snapshot View




2. Here, click the floppy disk icon to open the [Snapshot Saving](#) dialog.



Saving a Snapshot

3. Enter a Snapshot name (e.g. *Blends well with synths*) and click [Save](#).



Snapshot Saving Dialog

→ The Snapshot is saved and added to the Snapshot Menu.

All User Snapshots are automatically stored in the default User Content folder. This is where the SYMPHONY SERIES WOODWIND ENSEMBLE Snapshot you just created will be stored:

- **On Mac OS X:** *Macintosh HD/Users/<Your Name>/Documents/Native Instruments/User Content/Symphony Series Woodwind Ensemble/Woodwind Ensemble/Blends well with synths.nksn*
- **On Windows:** *C:\Users\<Your Name>\My Documents\Native Instruments\User Content\Symphony Series Woodwind Ensemble\Woodwind Ensemble\Blends well with synths.nksn*



You can transfer any of your Snapshots to another computer by copying the respective Snapshot files.



Please make sure you include your Documents / My Documents folder in your regular data backups.


## 5.2 Loading a Snapshot from the Snapshot Menu

If you need to recall a specific sound for recurring use in the studio or for live playing, Snapshots give you an easy way of doing just that.

Let's get to know this feature by loading a Snapshot from the Instrument Header's Snapshot Menu. We assume here that you saved the [Blends well with synths](#) Snapshot as described in the [↑5.1, Saving a User Snapshot](#) section.


### Load a User Snapshot

1. In the [Libraries](#) Tab, load the [Woodwind Ensemble.nki](#) Instrument. Play a few notes on your MIDI keyboard to get familiar with the ensemble's sound.
2. Click the camera icon in the Instrument Header. This will switch the Header to the Snapshot View. By default no Snapshot is loaded.



Accessing the Snapshot View

3. Open the drop-down menu and select the [Blends well with synths](#) Snapshot.



Loading a Snapshot

→ The [Blends well with synths](#) Snapshot is loaded.



Alternatively, when no Snapshot is loaded, click the Next Button after loading the Woodwind Ensemble Instrument to achieve the same result.

## 5.3 Loading Snapshots from the File System

KONTAKT supports two ways of loading Snapshot files (.nksn):

- Dragging and dropping a Snapshot file from the Finder / Explorer onto the Rack
- Loading via double-click in Finder (Mac OS X) or Explorer (Windows)

This allows you to take your favorite Snapshots to the studio on a flash drive or send them attached to an e-mail and load them from your Desktop without altering the installation on the studio computer.

### Drag and Drop

In order to load a Snapshot from any disk, use Filer / Explorer to drag an .nksn file from its current location onto an empty area of the Rack. KONTAKT will load a new instance of the corresponding Instrument with that Snapshot.

If you drag a Snapshot onto an active Instrument in the Rack instead, that Instrument will be replaced by the Instrument loaded from the Snapshot.

Snapshots you open are not automatically saved to the default location.



Please note, the Next/Previous buttons can only skip through Snapshots located in the Factory Snapshots and the User Content folder

### Double-click

Double-clicking a Snapshot file in Finder (Mac OS X) or Windows Explorer inserts a new Instrument instance in KONTAKT.

## 5.4 Deleting a User Snapshot


In order to keep things tidy in the Snapshot Menu, you can delete any Snapshots you saved when you feel you don't need them anymore. Keep in mind that Snapshots are saved on a per-Instrument basis. So in order to delete a Snapshot in KONTAKT, you have to load it first.



Please note, you can only delete User Snapshots. All KOMPLETE Factory Snapshots are read-only. In order to follow the steps described here, you have to have saved a Snapshot first as detailed in the [↑5.1, Saving a User Snapshot](#) section


To demonstrate how deletion of Snapshots works, we'll delete the [Blends well with synths](#) Snapshot saved in that section.

1. In the [Libraries](#) Tab, load the [Woodwind Ensemble.nki](#) Instrument.
2. Click the camera icon to access the Snapshot view.



Accessing the Snapshot View

3. Open the [Blends well with synths](#) Snapshot.
4. Click the trash bin icon in the Instrument Header.



Delete Snapshot Icon

5. Confirm deletion of the Snapshot in the dialog which pops up.
- The Snapshot file is now erased from the folder on your hard disk as well as removed from the Snapshot Menu.

## 6 Audio Mix-down

### 6.1 The Microphone Mixer View

In addition to a full production-ready **STEREO** mix of all microphones used in the recording of the woodwind sections, WOODWIND ENSEMBLE offers **CLOSE**, **MID** and **FAR** microphone recordings. These are phase-aligned so mixing any combination of microphone positions will be free from phase cancellation issues.

Impulse responses capturing the ambience of the original recording are included in the **RE-VERB** panel in the **Cathedral** category.



The **STEREO** mix-down is a mixture of signals from all individual microphone positions. If you're going to activate any of the **CLOSE**, **MID** and **FAR** positions, it is recommended you deactivate the **STEREO** track.

Deactivating unnecessary microphone positions saves processing power and lowers the RAM consumption.



The Microphone Mixer

**(1) Microphone Position On/Off switch:** Click the indicator to activate either (combinations of) distinct microphone positions or the **STEREO** mix. A thin ring shows it's inactive, a solid dot means it's active. Either one microphone position or the **STEREO** mix has to be active at any time.

**(2) Microphone Position Panorama:** Click the slider and drag it to the left or right to set the respective microphone position's balance in the stereo panorama.

**(3) Microphone Position Volume fader:** Click and drag the fader to set the respective microphone position's level.

**(4) Microphone Position Output selector:** Click to select an individual output routing per microphone position. This is only available if KONTAKT is set up as a multi-out instrument or multi-out plug-in.

**(5) Effects On/Off:** Click any of these indicators to activate or deactivate the corresponding effect. A thin ring shows it's inactive, a solid dot means it's active.

**(6) Effects Selectors:** Click any of these labels to select the respective effect and show its effects parameters in a dedicated panel.

**(7) Effects Controls:** adjust the selected effect's parameters here.

**(8) Transfer Settings drop-down:** Click to save the current Mixer configuration. Then go to another WOODWIND ENSEMBLE Instrument and there, click the [Transfer Settings](#) drop-down to load the configuration.

## 6.2 Refining the Master Mix

The mix of the selected microphone positions can be processed with a number of integrated effects to help it blend better with the other instruments in your virtual orchestra.

Since the recordings have a very refined and production-ready sound, these effects aren't intended as corrective tools, but rather meant to put the finishing touches on an otherwise great mix.




The default **STEREO** mix is recommended for most situations, because it is the most resource-efficient option. It is a mix-down of the CLOSE, MID and FAR microphone positions.

### 6.2.1 Applying EQ


In a busy composition, instruments from different groups often overlap, resulting in a muddy, crowded mix lacking definition and transparency. Attenuating the non-essential frequencies and boosting the characteristic frequencies per instrument section helps clean up the mix.

1. Load [Woodwind Ensemble.nki](#).
2. Click the [Mixer](#) label to open the [Microphone Mixer](#) view.



Opening the Microphone Mixer

3. Click the **EQ** label to select the Equalizer panel.
4. Click the small indicator dot next to the label to activate / bypass the Equalizer. A thin ring shows it's inactive, a solid dot means it's active.



Activating the EQ

5. Adjust the **Low**, **Mid** and **High** controls as needed.

## The EQ Controls

The EQ offers an identical parametric **Low** and **High** band with **Gain** and **Freq** controls. The **Mid** band is fully parametric with **Gain** and **Freq** controls plus adjustable bandwidth (**BW**).

**Gain:** Boost or attenuate the **Low** EQ band. The EQ is a bell curve type with 18 dB of boost or cut.

**Freq:** Set the center frequency of the **Low** EQ band anywhere between 20 Hz and 20 kHz.

**BW:** Set the **Mid** band's bandwidth between 1/3 octave and 3 octaves.



These controls affect the frequency balance of your KONTAKT Instrument's Master Mix. If you need to adjust EQ per instrument section, load the Individual Instruments instead of the Ensemble Instrument.



## 6.2.2 Applying Reverb

WOODWIND ENSEMBLE includes 100 Impulse Responses in 10 categories. Impulse responses in the REVERB are actual audio recordings that capture the way sounds naturally reflect and decay in different environments.


Most of these Impulse Responses were recorded by Soundiron in a variety of unique real-world locations, such as cathedrals, churches, classrooms, halls, garages, military bunkers, tunnels, studios and more. However, some Impulses are custom sound-designed sound effects used purely for creating unique special effects.



Use caution when using these Effects Impulses, as they can create strong resonant effects and feedback when mixed at high volumes in some cases.


### Activating the Reverb

1. Load [Woodwind Ensemble.nki](#).
2. Click the [Mixer](#) label to open the [Microphone Mixer](#) view.



Opening the Microphone Mixer

3. Click the [REVERB](#) label to select the [REVERB](#) panel.
4. Click the small dot next to the label to activate / bypass the [REVERB](#).




Activating the Reverb

→ The **REVERB** is activated. A thin ring shows its inactive state, a solid dot means it's active.


## Selecting an Impulse Response

1. Click the right arrow next to the **category name** above the preview image to cycle through the available categories.



Selecting a Reverb Category

2. Select **Room Large**.
3. Click the right arrow next to the **Impulse Response name** below the preview image to select the actual Impulse Response.



Selecting an Impulse Response

4. Select **Classroom**.
- The Classroom Impulse Response is applied to the Master Mix in **Woodwind Ensemble.nki**, affecting all woodwind sections equally.

## The REVERB Controls



Reverb parameters should not be automated. Otherwise, audio drop-outs may occur.

**Size:** Stretches or compresses the impulse response audio file. This creates the illusion of the room size changing.

**Delay:** Introduces a pre-delay before the reverberation.

- ▶ Decrease the pre-delay to embed instruments in the reverb, creating a distant, 'roomy' sound.
- ▶ Increase the pre-delay to separate instruments from reverb, creating a close, 'direct' sound.

**Filter HiPass:** Removes low frequencies from the reverb signal to avoid boominess.

- ▶ Click and drag up to raise the frequency below which signal is attenuated.

**Filter LoPass:** Removes high frequencies from the reverb signal to avoid excessive brightness and to help it blend in naturally.

- ▶ Click and drag down to lower the frequency above which signal is attenuated.

**Mix Amount:** Blends anywhere between no reverb at all and just the reverb.


- ▶ Click and drag down to mix in less reverb, drag up to add more reverb.

### 6.2.3 Applying Comp & Filter

The Compressor is helpful to reduce the dynamic range of an Instrument in case the loudest passages mask other instruments in your arrangement. The Filter can add resonance which makes the sound more aggressive and cut through the mix better, or it can reduce the brightness of an Instrument for special effect.

#### Activating the COMP and FILTER

1. Load [Woodwind Ensemble.nki](#).
2. Click the [Mixer](#) label to open the [Microphone Mixer](#) view.




Opening the Microphone Mixer

- Click the **COMP & FILTER** label to select the combined **Compressor** and **Filter** panel.



Opening the COMP & FILTER panel

- Click the small dot next to the **COMP** label to activate the Compressor.
- Click the small dot next to the **FILTER** label to activate the Filter.



Activating the Compressor

→ The Compressor and Filter are activated. A thin ring to the left of each label shows their inactive state, a solid dot means they are active

## The COMP Controls

**Threshold:** Sets the level above which compression occurs.

**Ratio:** Determines how strong the compression is. At a **Ratio** of **2:1**, a signal which exceeds the Threshold by **6dB** is reduced to **3dB** above the **Threshold**.

**Attack:** Determines how quickly the compressor starts reducing the signal after the level exceeds the **Threshold**.

**Release:** Determines how quickly the compressor stops reducing the signal after the level falls below the **Threshold**.

## The FILTER Controls


**Cutoff:** Sets the frequency above which signals are gradually attenuated.

**Resonance:** Determines the intensity of the resonance peak at the Cutoff frequency. High values cause aggressive, piercing sounds, whereas at low values, the Filter only reduces high frequency signals.

### 6.3 Close, Mid and Far Microphone Positions

For each woodwind section, a **CLOSE**, **MID** and **FAR** position were recorded. Each of these represents a mix-down of an array of microphones to achieve a spacious, natural sound. For convenience, an additional **STEREO** mix-down is provided.

When using WOODWIND ENSEMBLE with products outside the SYMPHONY SERIES, mixing the three available microphone positions will give you greater flexibility in creating a sound which will blend well with the other products.

 Every activated microphone position requires additional RAM and processing power. De-activate all positions you don't use.

#### About Microphone Positions

Microphone Position	Recording Distance	Stereo Width	Stereo Panning
CLOSE	5 ft. / 1.5 m	Medium	Center
MID	25 ft. / 8 m	Wide	Center
FAR	75 ft. / 23 m	Very Wide	Center


### 6.4 Balancing Section Volumes

The **Woodwind Ensemble.nki** is a combination of all woodwind sections from the individual Instruments. When working with the individual Instruments, you can adjust their relative volume and panorama position by adjusting the controls in the Individual Instruments.

Since this wouldn't otherwise be possible with the Ensemble Instrument, it offers an additional mixer in the **Section Setup** with per-section volume and panorama.

1. Load **Woodwind Ensemble.nki**.

2. While in the default performance view, click on **Ensemble** at the bottom of the screen. The **Section Setup** view will open.



Opening the Section Setup View

3. To adjust the **BASSOONS** section's volume, click and drag the volume fader underneath the corresponding label.



The Section Volume Fader

4. To adjust the **BASSOONS** section's stereo position, click and drag the panorama slider above the volume fader.



If you create your own mix of **CLOSE**, **MID** and **FAR** microphone positions in the **Mixer** view, the Section Volume Fader settings will be applied to your mix of the microphone positions.

## 6.5 Balancing Articulation Volumes

Although great care has gone into balancing the perceived loudness of a section's Articulations, in context of other instrumentation and the actual composition, you may find an Articulation sounding too loud or too quiet.


Instead of having to automate the volume around this note, WOODWIND ENSEMBLE allows you to adjust the volume of each Articulation Slot individually. That way, you could even assign the same Articulation to multiple Slots with different volume settings.

1. Load [Woodwind Ensemble.nki](#).
2. While in the default performance view, click on [Articulation](#) in the bottom left corner. The **ARTICULATION SLOTS** list will open.



Opening the ARTICULATION SLOTS List

3. In this list, click the [Edit](#) button. A volume knob is shown for the selected Articulation.
4. To adjust an Articulation's volume, click it once to select and then click and drag the level knob.



Adjusting a specific Articulation's Volume


→ Only the specific Articulation's volume is adjusted.

## 6.6 Transferring Mixer Settings Between Different Instruments

When you set up your own mix of microphone positions in one woodwind section, you'll want to apply the same mix to all woodwind sections for a consistent ensemble sound. WOODWIND ENSEMBLE offers an easy way of transferring these settings to the other sections.

### Saving Mixer Settings


1. Load [Flutes Legato.nki](#).
2. While in the default performance view, click on [Mixer](#) at the bottom of the screen. The [Microphone Mixer](#) view will open.



Opening the Microphone Mixer

3. Adjust parameters in this view to create your custom mix.
4. In the top right corner, click [Transfer Settings](#). A drop-down menu will open.






Opening the Transfer Settings drop-down

5. Select *Save current mixer setting*.


## Recalling Mixer Settings

1. Load [Clarinets Legato.nki](#).
2. While in the default performance view, click on [Mixer](#) at the bottom of the screen. The [Microphone Mixer](#) view will open.



Opening the Microphone Mixer

3. In the top right corner, click [Transfer Settings](#). A drop-down menu will open.



Opening the Transfer Settings drop-down

4. Select *Load mixer setting*.

→ The mixer settings from the Flutes section are applied to the Clarinets section.

## 7 Performance Optimization

Highly realistic, sampled Instruments like WOODWIND ENSEMBLE are demanding in terms of both RAM and processing power. Even if you own a high end computer, please read the following tips carefully to get the most out of your system.

### 7.1 General Advice

- Use the Section Master Instruments (e.g. [Flutes.nki](#), [Bassoons.nki](#)) as often as possible instead of the Individual Articulation Instruments.




Loading the Section Master

- Only use Individual Articulation Instruments (e.g. [Flutes Legato.nki](#), [Bassoons Expressions.nki](#)) if you need any of these specific features:
  - Time stretching
  - True legato
  - Effect articulations
  - Recorded Arpeggios


## 7.2 Project Economy

- Only load Articulations which are actually used in the musical piece.



Deactivating un-used Articulations

- Try to avoid the activation of the **REVERB** in multiple Instruments. If possible, use your host software's Send Busses (AUX Sends, FX Sends) to share reverb between different instances of KONTAKT.



Deactivating the REVERB

## 7.3 Instrument Economy

- Only activate the microphone positions you actually need. **STEREO** will always be less demanding than mixing the **CLOSE**, **MID** and **FAR** positions.




Deactivating all microphone positions except for STEREO

- Disable instrument sections of the [Woodwind Ensemble.nki](#) Instrument if you don't need them.



Deactivating un-used sections

- In Individual Instruments, only activate time stretching ([Sync](#) / [Varispeed](#) settings) for the Articulation Slots you need control over playback speed for.



Deactivating time stretching

# 8      Technical Specs

## 8.1      Recorded Tonal Range

	Bass Winds	Bassoons	Clarinets	Oboes	Flutes
Recorded Tonal Range	B-1 – A#2	A#0 – A#3	D2 - D5	C3 – D5	C3 - C6

## 8.2      Microphone Positions

Microphone Position	Recording Distance	Stereo Width	Stereo Panning
CLOSE	5 ft. / 1.5 m	Medium	Center
MID	25 ft. / 8 m	Wide	Center
FAR	75 ft. / 23 m	Very Wide	Center

---

## 9 Credits

### Soundiron

**Produced, Directed and Recorded By:** Mike Peaslee, Gregg Stephens and Chris Marshall

**Scripting, UI and Systems Design:** Chris Marshall

**Editing, Mixing, Mastering:** Gregg Stephens and Mike Peaslee

**Mapping and Programming:** Chris Marshall, Gregg Stephens, Mike Peaslee, and Spencer Nunamaker

**Beta Team and Video Production Management:** Jan Hoeglund

**QA Team:** Gregg Stephens, Mike Peaslee, and Spencer

**Session Coordinator:** Alan Kleinschmidt

**Session Conductor:** Doug Morton

**Video Tutorials:** Jan Hoeglund, Cory Pelizzari, Arkadiusz Reikowski, Brad Jerkins, Chris Cutting, Dirk Ehlert, Jeremiah Pena, Johnny Knittle, Marie-Anne Fischer, Paul Amos, and Tino Danielzik

**Beta Composers:** Anne van Duyvenvoorde, Arkadiusz Reikowski, Blake Ewing, Brad Halverson, Brad Jerkins, Chris Cutting, Cory Pelizzari, Dirk Ehlert, Dylan Jones, Gareth Cocker, Ian Dorsch, James Everingham, Jason Graves, Jeremiah Pena, Johnny Knittle, Kyle Robertson, Marie-Anne ischer, Misha Mansoor, Paul Amos, Simon Russell, Spencer Nunamaker, Tino Danielzik, Tomás Lobos Kunstmann, and Valentin Boomes, and Xiaotian Shi

### Native Instruments

**Concept and Design:** Frank Elting

**User Interface Design:** Fabian Ruf, Julius Gehrig

**Quality Assurance:** Bymski

**Documentation:** Adam Hanley, Christoph Laue

**Sound Design Consultant:** Nikolas Jeroma

**Marketing Management:** Tom Evans

**Artwork:** Yvonne Hartmann

**Copywriter:** Frank Cifarelli

**Technical Support and Encoding:** Carlos Ruiz

**Product Management:** Christian Wachsmuth

## 10 Glossary

### 10.1 Sustains

Sustains are long, steady tones. They are typically used for underlying harmony and melody, to create tension, or to create a still moment.

### 10.2 Legatos

Legatos form a Smooth, connected flow of notes. They are employed for the creation of melodies and counter-melodies.

### 10.3 Staccatos

Staccatos are short, defined notes which can add rhythm, forward motion and definition to a passage.

### 10.4 Expressions

Expressions can connect contrasting segments of a composition with each other by virtue of their expressiveness and are great for introducing or concluding a musical idea. They can be used for passages otherwise very difficult to sequence and for adding interest to a piece, giving the listener a greater impression of a live performance.



Playing Expressions, avoid overlapping notes. If you encounter unwanted artefacts, try adjusting the Release control.



## 10.5 Effects

Effects cover the aspects which add realism without contributing to the arrangement of a composition. These are often atonal and aleatoric (random), giving a sense of foreboding, but can be used for “stingers”, horror sound effects, chaos, etc.

## 10.6 Arpeggios

Arpeggios break up a chord into its individual notes, which are then played as a pattern. This is why arpeggios are sometimes called “broken chords”. Fast arpeggios are sometimes used by monophonic instruments (like solo woodwind) to give the impression of a chord.